

IWGS 2008 - List of Posters by Theme
Monday 25 August

**EXPLORING AND EXPLOITING
WHEAT GENETIC RESOURCES**

P001

Utilization of F1 monosomics for genetic analyses involving awn expression in crosses of tetraploid and hexaploid wheats

Ahmadi H

P002

Genetic diversity and population structure analysis among Indian bread wheat cultivars

Balyan HS, Gupta PK, Mir RR, Kumar J

P003

Revisiting old landraces of wheat for stem rust resistance

Bansal UK, Singh D, Park RF, Bariana HS

P004

Genome resources for bread wheat

Cavanagh CR, Morell M

P005

Aegilops tauschii: A valuable source for karnal bunt resistance

Chhuneja P, Kaur S, Deepika, Singh TP, Sharma I, Dhaliwal HS, Singh K

P006

A new method for detection of induced mutations in wheat

Dong C, Vincent K, Sharp P

P007

Winter wheat landraces and obsolete cultivars - possible donors of characters for breeding

Dotlacil L, Hermuth J, Stehno Z, Dvoracek V, Leisova L

P008

Rust resistance in Aegilops speltoides var. ligustica

Dundas IS, Verlin DC, Park RF, Bariana HS, Butt M, Capio E, Islam AKMR, Manisterski J

P009

Population structure in wild emmer wheat (Triticum dicoccoides) based on EST-SSR

Emebiri L, Ogonnaya F, Moody D

P010

DNA polymorphism in wild emmer wheat (Triticum dicoccoides) using barley expressed sequence tag-derived microsatellite markers

Emebiri L

P011

Enhanced Fusarium head blight resistance in bread wheat and durum by alien introgression

Fedak G, Cao W, Xue A, Savard M, Clarke J, Gilbert J, Somers DJ

P012

Genetic variation of Triticeae species for improvement of end product quality of wheat

Garg M, Tanaka H, Tsujimoto H

P013

Germplasm enhancement in bread wheat targeting quality characteristics

Hassani ME, Shariflou MR, Bariana H, Sharp PJ

P014

Estimate of genetic parameters of grain yield and some agronomic traits in durum wheat using diallel crosses

Houshmand S, Vanda M

P015

Coleoptile length studies in semi-dwarf wheat (Triticum aestivum L.) with different dwarfing genes

Jamali KD, Arain S

P016

Communication strategies for delivery of the benefits of cooperative research in the CIMMYT suite of projects

Johnson C, Trethowan R, Metz T, Valerio R

IWGS 2008 - List of Posters by Theme
Monday 25 August

P017

*Transferring of the biological nitrification inhibition (BNI) character from *Leymus racemosus* to wheat*

Kishii M, Ban T, Subbarao GV, Ortiz-Monasterio I

P018 and P019

Papers withdrawn

P020

*Genetic and genomic dissection of powdery mildew resistance genes derived from wild Emmer (*Triticum dicoccoides*)*

Liu ZY, Xie CJ, Hua W, Zhu J, Liu ZJ, Song W, Han J, Ji XL, Wang YJ, Guan HY, Zhang LS, Yang TM, Sun QX

P021

Development of a multi-parental (four-way cross) mapping population for multi-allelic QTL analysis in durum wheat

Trebbi D, Maccaferri M, Giuliani S, Sørensen A, Sanguineti MC, Massi A, Tuberosa R

P022

Assessing wheat genetic diversity using quality traits, amplified fragment length polymorphisms, simple sequence repeats and proteome analysis

Eivazi AR, Naghavi MR, Hajheidari M, Pirseyedi SM, Ghaffari MR, Mohammadi SA, Majidi I, Salekdeh GH, Mardi M

P023

B- and C-type low molecular weight glutenin subunits in tetraploid wheat germplasm

Margiotta B, Colaprico G, Lafiandra D, Urbano M

P024

Identification of R gene genotypes in Japanese wheat cultivars

Matsunaka H, Chono M, Noda K, Himi E, Seki M, Fujita M, Kubo K, Kokubun M

P025

*Occurrence of hetero-branching of spike in bread wheat (*T. aestivum* L.)*

Meena BK, Rawat RS, Jagshoran, Verma JS, Shukla AK

P026

*Using single morphological and RAPD molecular markers to screen for quantitative traits in an F2 segregating generation of wheat (*Triticum aestivum* L.)*

Mohammady S, Abdolvahabi E

P027

Maternal lineages in polyploid wheat species inferred from organellar DNA fingerprinting
Mori N, Ishii T, Hidehira Y, Tanaka T, Kondo Y, Watatani H, Ohmichi Y, Kawahara T, Nakamura C

P028

*Genetic diversity of hexaploid wheat and three *Aegilops* species using microsatellite markers*
Naghavi MR, Aghaei MJ, Taleei AR, Omid M, Hassani ME

P029

Amplification profiles of the SSR markers in cultivars of hexaploid wheat and their relatives
Nitta M, Nasuda S

P030

Characterization of seedling and adult-plant resistance to stem rust race Ug99 in Iranian bread wheat landraces

Nazari K, Amini A, Yahyaoui A, Singh R

P031

Identification of multiple root disease resistant wheat germplasm against cereal nematodes and dryland root rot and their validation in regions of economic importance

Nicol JM, Sahin E, Wallwork H, Chakraborty S, Meiqin L, O'Brien L, Sutherland M, Horne M, Simpfendorfer S, Herde D, Ogbonnaya F, Duvellier E, Bolat N, Yahyaoui A, Buerstmayr H, Lewis J, Crossa J, Singh AK, Bishnoi SP, Kanwar RS, Gargouri S

P032

Assessment of the genetic variation in Ethiopian germplasm of durum wheat from region with contrasting environment and water stress

Mondini L, Farina A, Porceddu E, Pagnotta MA

IWGS 2008 - List of Posters by Theme
Monday 25 August

P033

Assessment of genetic diversity in European emmer wheat populations

Mondini L, Grausgruber H, Porceddu E, Pagnotta MA

P034

Characteristics of biochemical markers and quality parameters using whole wheat flours in Korean wheat cultivars and lines

Park CS, Woo SH, Heo HY, Park JC, Cheong YK, Kim JG

P035

*Puroindoline polymorphism and kernel texture in einkorn (*Triticum monococcum*)*

Taddei F, Conti S, Gazza L, Pogna NE

P036

*Genetic and monosomic analysis of spike speltoidy introgressed into bread wheat from *Aegilops speltoides* Tausch*

Simonov AV, Mazurova AA, Pshenichnikova TA

P037

Genetic diversity and genetic analysis of the trait "leaf hairiness" in bread wheat

Aleshina Teu, Pshenichnikova TA, Shchukina LV

P038

Genetic control of biosynthesis of soluble isoforms of lipoxygenase in bread wheat grain

Permyakova MD, Pshenichnikova TA, Börner A3

P039

Evaluation of spelt germplasm for polyphenol oxidase activity and aluminium resistance

Raman H, Rahman R, Luckett D, Raman R, Graham K, Bekes F, Neeson R, Bedo Z

P040

Evaluation of Iranian bread wheats by storage proteins "gliadins"

Salavati A, Boushehri A, Yazdi-Samadi B, Hassani ME

P041

*Molecular evaluation of genetic diversity using gliadin alleles in Iranian landrace wheat *Triticum aestivum* L.*

Salavati A, Sameri H, Boushehri AASN, Yazdi-Samadi B

P042

*Characterization of *Elymus humidus* as a candidate for genetic resource of wheat water tolerance*

Sasanuma T, Takata K, Kawaguchi K, Oyanagi A

P043

Identification of HMW subunits in Iranian landrace wheat by using STS-PCR method

Sameri H, Salavati A, Boushehri ASN, Yazdi-Samadi B

P044

**Triticum monococcum*: A source of novel genes for improving several traits in hexaploid wheat*

Singh K, Chhuneja P, Kaur S, Kaur S, Garg T, Tiwari VK, Rawat N, Bains NS, DhaliwalHS, Keller B,

P045

Inheritance of adult plant resistance to leaf and stripe rust in four European winter wheat cultivars

Singh D, Park RF

P305

Can ABA signaling be used to develop drought tolerant wheat?

Schramm E, Abellera J, Strader L, Garland Campbell K, Steber CM

P046

*Utilizing diverse gene pool from synthetic hexaploids for improving bread wheat (*Triticum aestivum* L)*

Tyagi BS, Shoran J, Singh G, Mishra B

P047

*Grain yield improvement through increased assimilates and efficient partitioning of photosynthetes in bread wheat (*Triticum aestivum* L)*

IWGS 2008 - List of Posters by Theme
Monday 25 August

Tyagi BS, Jag S, Singh G, Rane J, Mishra B

P048

Evaluation and utilization of Aegilops germplasm for biofortification of wheat for high grain iron and zinc content

Tiwari VK, Rawat N, Singh N, Randhawa GS, Singh K, Chhuneja P, Tripathi SK, Dhaliwal HS

P049

Comparative assessment of wheat landraces from AWCC, ICARDA and VIR germplasm collections based on the analysis of SSR markers

Strelchenko P, Street K, Mitrofanova O, Hill H, Henry R, Mackay M

P050

Two major lineages of Aegilops tauschii Coss. revealed by nuclear DNA variation analysis

Takumi S, Mizuno N, Okumura Y, Kawahara T, Matsuoka Y

P051

Is synthetic hexaploid wheat a useful germplasm source for increasing grain size and yield in bread wheat breeding?

Talbot SJ, Ogbonnaya FC, Chalmers KJ, Mather DE

P052

Genetic variation of wheat landraces in Afghanistan

Terasawa Y, Takata K, Kawahara T, Ban T, Sasakuma T, Sasanuma T

P053

Resistance levels of wheat varieties and breeding lines to Ug99 and effective resistance genes

Yahyaoui A, Abdalla O, Sailan A, Bedada G, Waneyra R, Rajaram S

P054

Analysis of Pina and Pinb alleles in the micro-core collections of Chinese wheat germplasm by Ecotilling and identification of a novel Pinb allele

Wang J, Sun J, Liu D, Yang W, Wang D, Tong Y, Zhang A

CHROMOSOME BIOTECHNOLOGY

P055

Genomics goes chromosomal to explore the wheat genome

Dolezel J, Simkova H, Safar J, Suchankova P, Bartos J, Kubalaková M, Cihalikova J

P056

Chromosome composition in an F2 hexaploid x durum cross analyzed by DArT markers and MCFISH

Eberhard FS, Zhang P, Lehmensiek A, Sutherland MW, Hare R, Simpfendorfer S

P057

Creating wheat-rye translocation lines by monosomic addition line

Fu SL, Tang ZX, Zhang HQ, Ren ZL

P058

Fine structure mapping of a gene-rich region of wheat carrying Ph1, a suppressor of crossing over between homoeologous chromosomes

Sidhu GK, Rustgi S, Shafqat N, von Wettstein D, Gill KS

P059

An integrated physical map of 2072 SSRs Loci (gSSR and EST-SSRs) in bread wheat

Gupta PK, Balyan HS, Goyal A, Mohan A, Kumar S

P060

Attempts to transfer salt- and waterlogging tolerances from Sea barleygrass (Hordeum marinum Huds.) to wheat

Islam AKMR, Colmer TD

P061

Paper withdrawn

P062

Development of durum wheat (Triticum turgidum ssp durum) lines with soft kernel texture by chromosome engineering

Gazza L, Zanella L, Pogna NE

IWGS 2008 - List of Posters by Theme
Monday 25 August

P063

Ph1 affects remodelling of the heterochromatin at the telomeres and the centromeres at the onset of meiosis

Prieto P, Colas I, Shaw P, Moore G

P064

Optimizing marker-assisted background selection for rapid introgression of desirable genes

Randhawa HS, Mutti JS, Gill KS

P065

Creating wheat-rye translocation lines by monosomic addition lines

Fu SL, Tang ZX, Zhang HQ, Ren ZL

P066

Identification of markers linked with stem rust resistance genes Sr33 and Sr45

Sambasivam PK, Bansal UK, Hayden MJ, Dvorak J, Lagudah ES, Bariana HS

P067

Second-generation chromosome-specific BAC resources in wheat

Simkova H, Safar J, Suchankova P, Kubalaková M, Cihalikova J, Gill BS, Lucretti S, Dolezel J

P068

Validation of black point QTL in wheat

Tah PR, Lehmsiek A, Williamson PM, Michalowitz M, Done A, Daggard GE

P069

Chromosome-specific behaviour in wheat with alien genetic materials

Tsujimoto H, Garg M, Dou Q-W, Tanaka H

P070

Production of Aegilops cylindrica with Ae. Cuadata plasmon

Tsunewaki K, Mori N, Takumi S

P071

Characterization of T. aestivum-H. californicum addition lines DA2H and MA5H
Wang XE, Kong F, Wang HY, Cao AZ, Qin B, Ji JH, Wang SI

P072

Development of a set of stem rust susceptible D-genome disomic substitutions based on rusty durum

Klindworth DL, Xu SS

P073

Identification of wheat-Dasypyrum breviaristatum addition lines with stripe rust resistance using C-banding and genomic in situ hybridization

Yang ZJ, Zhang T, Liu C, Li GR, Zhou JP, Zhang Y, Ren ZL

P074

Transfer of genes controlling of agronomic important traits from artificial hexaploid wheat into common wheat gene pool

Zlatska AV, Shytikova Yu V, Kanyuka K, Hammond-Kosack K

GENETIC DIVERSITY

P075

Genetic variation of Aegilops cylindrica Host. from Iran, based on RAPD-PCR and HMW glutenin subunits diversity

Farkhari M, Naghavi MR, Pyghambari SA, Sabokdast M

P076

Phylogenetic relationships among Aegilops-Triticum species based on sequence data of chloroplast DNA

Kawahara T, Yamane K, Imai T

P077

Analysis of genetic diversity in wild diploid wheat Triticum boeoticum from West of Iran using RAPD, AFLP and SSR markers

Malaki M, Naghavi MR, Alizadeh H, Tabatabaei F, Mardi M, Potki P

P078

The high molecular weight glutenin subunit composition in hexaploid wheat

Salavati A, Boushehri AAS, Yazdi-Samadi B

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

GENOME DYNAMICS

P079

Purifying selection and gene conversion in polyploid wheat evolution

Akhunov ED, Akhunova AR, Anderson OD, Anderson JA, Blake N, Clegg MT, Coleman-Derr D, Conley EJ, Crossman CC, Deal KR, Dubcovsky J, Gill BS, Gu YQ, Hadam J, Heo HY, Huo N, Lazo GR, Luo MC, Ma YQ, Matthews DE, McGuire PE, Morrell P, Qualset CO, Renfro J, Reynolds S, Tabanao D, Talbert LE, Tian C, Toleno D, Warburton M, You FM, Zhang W, Dvorak J

P080

Possible horizontal transfer of two subclasses of Mutator-like elements within Poaceae

Asakura N, Mori N, Yoshida S, Ohtsuka I, Nakamura C

P081

QTL for grain color and yield traits in bread wheat and their correspondence in rice genome

Balyan HS, Gupta PK, Kumar A, Kumar J, Singh R, Garg T and Chhuneja P

P082

Towards a Wheat Phenome Atlas and a Phenome Atlas Toolbox: What are they? What progress?

DeLacy IH, Dieters MJ, Crossa J, Godwin ID, Arief V, Batley J, Davenport G, Dreisigacker S, Edwards D, Huttner E, Lambrides CJ, Manes Y, Payne T, Singh RP, Duveiller E, Warburton M, Wenzl P, Kilian A, McLaren G, Braun H-J, Crouch J, Ortiz R, Basford KE

P083

Patterns of linkage disequilibrium in multiple wheat populations

Dreisigacker S, Arief V, DeLacy IH, Davenport G, Manes Y, Reynolds M, Singh R, Dieters M, Crossa J

P084

Physical mapping of chromosomes 3HS and 3DS

Fleury D, Shoaei Z, Luo M, Dvorak J, Langridge P

P085

Analysis of the functional relationships of garnetocidal genes

Friebe B, Gill BS

P086

Analysis of promoters in transgenic wheat

Furtado A, Henry R, Pellegrineschi A

P087

Construction of an Euchromatin Enriched Genomic DNA library in wheat and development of STS marker sets

Heo HW, Lee SK, Oh PR, Kim HS, Kang MS, Park CS, Woo SH, Hwang JJ, Kim SJ

P088

Quantitative trait loci associated with kernel weight and test weight in durum wheat

Houshmand S, Knox RE, Clarke FR, Clarke JM, Pozniak CP

P089

PCR-based Landmark Unique Gene (PLUG) markers are a useful tool for comparative genomic analysis and BAC clone screening in wheat

Ishikawa G, Ashida T, Saito M, Nasuda S, Endo TR, Nakamura T

P090

The genomics of stem rust resistance in wheat

Knott DR

P091

*The sequence polymorphism of SBEIIa gene in wheat (*Triticum sp.*)*

Konovalov FA, Shaturova AS, Kudryavtsev AM

P092

KSSR and ISSR markers for assessing DNA polymorphism and genetic diversity among Indian bread wheat varieties

Malik R, Kundu S, Sareen S, Kumar R, Shoran J, Mishra B

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

P093

Fate of duplicated genes in polyploid wheat
Mutti JS, Gill KS

P094

Large scale analysis of expressed genes in common wheat
Ogihara Y, Kawaura K, Mochida K

P095

Custom wheat microarray development for analysis of grain quality
Pacey-Miller T, Bundock P, Henry R

P096

Real-Time PCR, a tool for the analysis and quantitation of WIS2-1A retrotransposon in hulled wheat
Mondini L, Porceddu E, Pagnotta MA

P097

Insertion site-based polymorphism: A Swiss army knife for wheat genomics
Paux E, Gao L, Faure S, Choulet F, Roger D, Chevalier K, Saintenac C, Balfourier F, Paux K, Cakir M, Brunel D, Le Paslier M-C, Krugman T, Gandon B, Nevo E, Bernard M, Sourdille P, Feuillet C

P098

A rice centromeric sequence is conserved between wheat and rice, as well as between monocots and dicots
Qi LL, Friebe B, Gill BS

P099

*Molecular phylogeny of a LTR copia retrotransposon family in *Triticum aestivum* L. reveals recent transposition activity*
Ragupathy R, Cloutier S

P100

*Flavanone 3-hydroxylase genes in *Triticum aestivum* L.*
Khlestkina EK, Röder MS, Salina EA

P101

*Composition and location of wheat BAC sequences marked by *Aegilops speltoides* subtelomeric repeats*
Salina EA, Sergeeva EM, Adonina IG, Shcherban AB, Belcram H, Huneau C, Chalhoub B

P102

*Cloning and characterization of small RNAs from wheat (*Triticum aestivum* L.)*
Sun Q, Yao Y, Ni Z, Guo G, Du J

P103

Variation in repetitive elements in sibling wheat cultivars containing 1BL.1RS translocation
Tang ZX, Fu SL, Ren ZL, Zhang HQ

P104

*Investigation of the relationship between grain yield and quantitative traits in *Tritipyrum*, a new salt tolerant amphiploid, in comparison with *Triticale* and Iranian wheat by factor analysis*
Tohidi-nejad E, Hassani HS, Madani H, Kamyab M

P105

*Genomic and RNA divergences of Revolver transposon-like gene offer chromosome tags in *Triticeae**
Tomita M, Tanaka E

**COPING WITH WHEAT IN A
CHANGING ENVIRONMENT –
BIOTIC STRESSES**

P106

*Identification of virulence factors of *Puccinia triticina*, the causal agent of wheat leaf rust in Iran*
Afshari F

P107

Responses of spring bread wheat lines for Central and West Asia and North Africa (CWANA) Program to Stripe Rust Disease
Afshari F

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

P108

*Dissection of powdery mildew resistance uncover different resistance types in the *Triticum turgidum* L. gene pool*

Ben David R, Peleg Z, Xie W, Saranga Y, Dinoor A, Korol AB, Fahima T

P109

Alien introgression for FHB resistance in wheat - challenges and strategies

Cai X, Xu SS, Oliver RE, Zhang Q, Stack RW, Zhong S, Friesen TL, Halley S, Elias EM

P110

Molecular mapping and marker-assisted improvement of rust resistance in the Australian wheat germplasm

Cakir M, Drake-Brockman F, Shankar M, Golzar H, McLean R, Bariana H, Wilson R, Barclay I, Moore C, Jones M, Loughman R

P111

Gene discovery in recombinant doubled haploid populations for breeding wheat resistance against aphids

Castro AM, Tocho EF, Tacaliti MS, Vasicek A, Giménez DO, Börner A, Snape JW

P112

*Molecular mapping of leaf rust resistance gene *Lr15* in bread wheat*

Gupta VS, Khan RR, Rajwade AV, Reddy DMR, Hosmani P, Chavan S, Dholakia BB, Lagu MD, Tamhankar SA, Rao VS, Saini RG

P113

*Transferring, mapping, cloning of powdery mildew resistance gene of *Haynaldia villosa* and its utilization in common wheat*

Chen PD, Chen SW, Cao AZ, Xing LP, Yang XM, Zhang SZ, Wang XE, Qi LL, Liu DJ,

P114

Heritability and number of genes controlling slow-mildewing resistance in wheat cultivar Lumai 21

Chen X, Xia X, He Z, Lillemo M

P115

*A novel leaf rust resistance gene transferred from *Aegilops caudata* L. to *Triticum aestivum* L. maps on chromosome 5D*

Chhuneja P, Kaur A, Kaur S, Dhaliwal HS, Singh K

P116

*Gene expression of plant defence pathways using *Lr1* transgenic lines and the Affymetrix Wheat Chip*

Cloutier S, Wang Z, Banks TW, Jordan MC, McCallum BD

P117

Mapping resistance gene to leaf rust in wheat line KSWGRC11 using Quantitative Bulked Segregant Analysis and DArT platform

Czembor PC, Radecka-Janusik M, Pietrusińska A, Czembor HJ

P118

*Evaluating the resistance to sunn pest (*Eurygaster integriceps* Put) and its relationship with high-molecular-weight glutenin subunit in wheat*

Fatehi F, Behamta MR, Zali AA

P119

*Relationship between plant height and *Fusarium* head blight resistance for the QTL on the wheat chromosome 2DS, *QFhs.kibr-2DS**

Handa H, Ban T

P120

*Combining ability of resistance to *Fusarium* crown rot of bread wheat*

Herde DJ, McNamara RB, Wildermuth GB

P121

*Obtaining genetic resistance to *Fusarium* crown rot in bread wheat*

Herde DJ, McNamara RB, Wildermuth GB

P122

Intragenic recombination between pseudogenes as a source of new disease specificity at a simple resistance locus

Huang L, Brooks SA, Li W, Fellers JP, Gill BS

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

P123

Stripe rust resistance in soft red winter wheat cultivars and lines

Johnson J, Buck J, Marshall D, Miranda L, Martinez A

P124

*QTLs for resistance to spot blotch of wheat caused by *Bipolaris sorokiniana**

Kumar U, Joshi AK, Kumar S, Chand R, Röder MS

P125

*Transfer of a new leaf rust resistance genes from diploid *T. monococcum* and *T. boeoticum* to *T. aestivum**

Kaur S, Chhuneja P, Dhaliwal HS, Singh K

P126

*Infection of wheat tissues by *Fusarium pseudograminearum**

Knight NL, Percy C, Lehmensiek A, Herde DJ, Sutherland MW

P127

*Validation of *Fusarium* head blight markers in *Triticum aestivum* breeding populations*

Knox RE, DePauw RM, Clarke FR, Martin AR, Xue AG, Gilbert JA, Brûlé-Babel AL, Campbell H

P128

Different sets of wheat genes are used in Dn7-mediated resistance to feeding by two biotypes of Russian wheat aphid

Lapitan NLV, Hess A, Wang H, van Eck L, Scofield S, Botha AM

P129

Paper withdrawn

P130

*Molecular characterization of a *Triticum timopheevii* introgression in a Wentworth/Lang population*

Lehmensiek A, Bovill WD, Banks PM, Sutherland MW

P131

Breeding wheats with enhanced crown rot resistance

Liu CJ, Li HB, Ma J, Chakraborty S

P132

Identification of chromosomes responsible for crown rot resistance in durum wheat

Zheng Z, Li HB, Ma J, Chakraborty S, Faris JD, Xu SS, Liu CJ

P133

*Wyalkatchem reselections differentiate the adult plant resistance gene *Yr29* in an Australian wheat background*

Loughman R, Lagudah ES, Shankar M, Wilson R, Jose K, Barclay I

P134

*The genetics of crown rot resistance in durum wheat (*Triticum durum* L.)*

Ma J, Li HB, Chakraborty S, Yan GJ, Liu CJ

P135

Mapping genetic factors for resistance to Soil-borne cereal mosaic virus (SBCMV) in durum wheat

Maccaferri M, Ratti C, Rubies-Autonell, Tuberosa R, Demontis A, Massi A, Stefanelli S, Vallega V, Sanguineti MC,

P136

A major genetic factor for durable leaf rust resistance in durum wheat maps in the distal region of chromosome arm 7BL

Maccaferri M, Mantovani P, Giuliani S, Sanguineti MC, Demontis A, Massi A, Corneti S, Stefanelli S, Tuberosa R

P137

*Molecular marker analysis of *Lr34* in Canada Western Red Spring wheat cultivars*

McCallum BD, Somers DJ, Humphreys DG, Cloutier S

P138

*The inhibitor of *Pm8* in certain *IBL.1RS* wheat genotypes*

McIntosh RA, Zhang P, Lagudah E, Brunner S, Keller B, Hoxla S

P139

*Genetic analysis of wheat *Pyrenophora tritici-repentis* interactions*

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

Singh PK, Mergoum M, Ali S, Adhikari TB

P140

Genome distribution of QTL for Fusarium head blight resistance in European wheat germplasm

Holzapfel J, Mohler V, Häberle J, Schweizer G, Miedaner T, Voss H-H, Korzun V, Hartl L

P141

Genetic response of bread and durum wheat and triticale to sunn pest, Eurygaster integriceps Put.

Najafi Mirak T, Azemaieshfard P, Yazdansepas A, Khaloobageri M

P142

Genetic analysis of seedling stripe rust resistance in the Australian wheat cultivar 'Batavia'

Nazari K, Wellings CR

P143

Phenotypic and molecular genetic analysis of partially resistant bread wheat cultivars against root lesion nematode (Pratylenchus thornei)

Toktay H, Nicol JM, McIntyre L, Elekcioglu IH, Ozkan H

P144

A database of RNA profiles comparing susceptible and resistant wheat infected with Fusarium graminearum

Ouellet T, Hattori J, Gulden S, Wang L, Soleimani V, Fedak G, Singh J, Pandeya R, Somers D, Tinker N

P145

Development of Fusarium head blight (FHB) resistant winter wheat cultivar in crosses with a Brazilian spring wheat, Frontana, as the resistance donor parent

Pandeya R

P146

The genetic characterisation of adult plant resistance (APR) to yellow rust in the winter wheat cultivar Claire

Powell N, Berry S, Boyd L

P147

Association mapping of Ug99 resistance in a diverse durum wheat population

Pozniak CJ, Reimer S, Fetch T, Clarke JM, Clarke FR, Somers D, Knox RE, Singh AK

P148

Perspective on wheat rusts in India

Prashar M, Bhardwaj SC, Jain SK, Sharma YP, Mishra B

P149

Stem rust resistance in South African wheat cultivars

Pretorius ZA, Jin Y, Prins R, Bender CM, Herselman L

P150

Genetic analysis of wheat rust resistance genes segregating in a Karioga x Avocet S population

Prins R, Pretorius ZA, Lehmensiek A, Bender CM

P151

Resistance to stem rust race TTKS in wheat relative Haynaldia villosa

Pumphrey M, Jin Y, Rouse M, Qi LL, Friebe B, Gill BS

P152

The occurrence of Sr31 and Sr36 stem rust resistance genes in wheat cultivars registered in Hungary in the past 25 years

Purnhauser L, Tar M, Bona L, Lang L

P153

QTL identification in a slow-rusting population reveals complex inheritance patterns of resistance

Rosewarne GM, Singh RP, Huerta-Espino J, Rebetzke GJ

P154

Genetic map of wheat chromosome 3BS including SV2, an adult plant leaf rust resistance gene

Ingala L, Diéguez MJ, Pergolesi F, López M, Paux E, Feuillet C, Sacco F

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

P155

Inheritance and genetic mapping of leaf rust resistance genes in the wheat cultivar Buck Manantial

Altieri E, McCallum B, Somers DJ, Sacco F

P156

Genetic and phenotypic mapping for leaf rust resistance, Lr34 in Indian bread wheat population

Saharan MS, Tiwari R, Krattinger SG, Keller B, Priyamvada, Mishra B

P157

Quantitative assessment of disease resistance by real-time PCR

Oliver RP, Rybak K, Shankar M, Loughman R, Harry N, Solomon PS

P158

Genetics of rust resistance in the Australian wheat germplasm

Shankar M, McLean R, Cakir M, Golzar H, Bariana H, Loughman R

P159

Identification and genetic characterisation of a powdery mildew resistance gene in wheat

Shankar M, Francki M, Walker E, Golzar H, Wilson R, Loughman R

P160

Genetic characterization of seedling and adult plant resistance against three rust diseases in the 22nd SAWSN CIMMYT Nursery

Singh B, Bansal UK, Bariana HS

P161

Fusarium head blight QTL mapping in durum wheat and Triticum carthlicum sources of resistance

Singh AK, Knox RE, Clarke FR, Clarke JM, Fedak G, Singh A, DePauw R

P162

Durable rust resistance in wheat is effective against multiple pathogens

Spielmeier W, Mago R, Kota R, Wellings CR, Lagudah ES, McIntosh RA

P163

Synthetic hexaploid wheats for resistance to root-lesion nematodes

Thompson JP, Zwart RS

P164

Marker assisted approach for incorporating durable rust resistance in popular Indian wheat cultivars

Tiwari R, Kumar Y, Priyamvada, Saharan MS, Mishra B

P165

Physical mapping of a powdery mildew resistance related gene Hv-S/TPK by FISH with a TAC clone in wheat

Yang XM, Sun YL, Cao AZ, Xing LP, Cheng ZK, Ma HX, Yao JB, Chen PD

P166

Sources for resistance to Soil-Borne Cereal Mosaic Virus (SBCMV) among cultivated accessions of common wheat and its wild relatives

Zlatska AV, Shytikova Yu.V, Kanyuka K, Hammond-Kosack K

P167

QTL mapping of multiple disease resistance traits in a synthetic hexaploid x bread wheat population

Zwart RS, Bansal UK, Thompson JP, Williamson PM, Bariana HS

P168

Evaluation of genetic diversity of fusarium head blight resistance in European winter wheat

Zwart RS, Muylle H, Van Bockstaele E, Roldán-Ruiz I

P307

Reactions of durum wheats to Fusarium pseudograminearum in the Northern grain growing region of Australia

Davis M, Simpfendorfer S, Walters T

**COPING WITH WHEAT IN A
CHANGING ENVIRONMENT –
ABIOTIC STRESSES**

P169

Evaluation of wheat yield and drought resistance indices across water regimes
Ahmadi A, Mohammadi V, Siosemardeh A, Poustini K

P170

The genetics of drought and heat tolerance in bread wheat
Bennett D, Kuchel H, Langridge P, Schnurbusch T

P171

Genome-wide monitoring expression changes of wild Emmer wheat exposed to shock-drought stress
Ergen ZN, Budak H

P172

QTL for canopy temperature response related to yield in both heat and drought environments
Pinto S, Chapman SC, McIntyre CL, Shorter R, Reynolds M

P173

cDNA-AFLP profiling of low-temperature-induced transcripts in wheat
Young L, Ganeshan S, Fowler DB, Chibbar RN

P174

Validation of QTL for resistance to pre harvest sprouting
Christopher MJ, Jennings R, Banks PM

P175

Field selection of winter wheat genotypes tolerant to water shortage with a mobile automatic rain shelter (MARS) and chemical desiccation
Cseuz L, Pauk J, Fónad P, Kovács E, Matuz J

P176

Spring wheat lines contrasting in water soluble carbohydrate concentration: growth, nitrogen absorption and partitioning
Dreccer MF, van Herwaarden A, Chapman SC, Shorter R

P177

*Identification of candidate CBF genes for the frost tolerance locus *Fr-Am2* in *Triticum monococcum**
Knox A, Li C, Vágújfalvi A, Galiba G, Stockinger E, Dubcovsky J

P178

Identification of a QTL on chromosome 7AS for sodium exclusion in bread wheat
Edwards J, Shavrukov Y, Ramsey C, Tester M, Langridge P, Schnurbusch T

P179

Low temperature adaption of wheat post head-emergence in northern Australia
Frederiks TM, Christopher JT, Borrell AK

P180

Molecular diversity at QTLs for pre-harvest sprouting resistance in spring wheat using microsatellite markers
Fofana B, Humphreys G, Rasul G, Cloutier S, Somers D

P181

Visual monitoring of water deficit stress using infra-red thermography in wheat
Inagaki MN, Nachit MM

P182

Evaluation of wheat drought tolerance under four water regimes based on a dual isotope ($\delta^{13}C$ and $\delta^{18}O$) conceptual model
Karimi Mazraehshah HR, Van Damme P

P183

Microarray analysis of salt-responsive genes in common wheat
Kawaura K, Mochida K, Ogihara Y

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

P184

Characterization of ABA sensitivity mutants altered abiotic stress tolerance in common wheat

Kobayashi F, Takumi S, Handa H

P185

Differential gene expression in wild emmer wheat genotypes contrasting in drought resistance

Krugman T, Chagué V, Peleg Z, Brodsky L, Balzergue S, Boudet N, Korol AB, Nevo E, Saranga Y, Chalhouf B and Fahima T

P186

Comparative proteomic analysis of the metabolic seed protein fraction in the Italian durum wheat cv. Svevo after heat treatment

Laino P, Shelton D, Finnie C, De Leonardis AM, Mastrangelo AM, Svensson B, Lafiandra D, Masci S

P187

Genetic analysis of wheat nitrogen use efficiency: coincidence between QTL for agronomical and physiological traits

Le Gouis J, Fontaine J-X, Laperche A, Heumez E, Devienne-Barret F, Brancourt-Hulmel M, Dubois F, Hirel B

P188

Mapping QTLs related to yield and yield components under drought in bread wheat
Kordenaeej A, Nasrollah Nejad AA, Shojaeian AA, Lelley T

P189

Generation of drought-resistant transgenic cereals using transcription factors isolated from wheat grain

Morran S, Eliby S, Bazanova N, Pyvovarenko T, Singh R, Ismagul A, Langridge P, Lopato S

P190

QTLs for yield and adaptation to reduced water and nitrogen inputs in durum wheat
Maccaferri M, Sanguineti MC, Ammar K, Demontis A, DeAmbrogio E, Massi A, Ortiz-Monasterio I, Reynolds M, Corneti S, Stefanelli S, Tuberosa R

P191

Association mapping in durum wheat grown in a broad range of water regimes

Maccaferri M, Sanguineti MC, Ben Salem M, El-Ahmed A, del Moral LFG, Demontis A, Maalouf F, Nachit M, Nserallah N, Royo C, Tuberosa R

P192

Halt irrigation effects on durum wheats at Iranian semi-arid environment

Madani H, Kalarestaghi K, Asadpoor S, Tohidi-nejad E

P193

Paper withdrawn

P194

Quantifying the value to grain yield of QTL for adaptation and tolerance to abiotic stress in bread wheat

McDonald GK, Genc Y, Nurzhanuly B, Trethowan R, Reynolds M, Yaqub Mujahid M, Eagles H, Oldach KH, Mather DE, Wallwork H

P195

Providing a biological interpretation of Genotype x Environment interactions in bread wheat

Taylor J, Verbyla A, Kuchel H, Hollamby G, Jefferies SP, McDonald GK

P196

Genetic mechanisms involved in late maturity alpha-amylase in wheat

Mrva K, Mares DJ, Cheong J

P197

Mapping quantitative trait loci associated with salinity tolerance in synthetic derived backcrossed bread lines

Ogbonnaya FC, Huang S, Steadman E, Emebiri L, Dreccer F, Lagudah ES, Munns R

P198

Paper withdrawn

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

P199

*Drought adaptation attributes and associated molecular markers via BSA in the Seri/Babax hexaploid wheat (*Triticum aestivum*, L.) population*

Olivares-Villegas JJ, Reynolds MP, William MW, McDonald GK, Ribaut JM

P200

Ethiopian durum wheat germplasm and hitchhiking mapping for drought QTL

Farina A, Mondini L, Pagnotta MA, Porceddu E

P201

Genomic dissection of whole-plant responses to water deficit in durum wheat × wild emmer wheat RIL population

Peleg Z, Saranga Y, Krugman T, Abbo S, Röder MS, Kilian A, Yakir D, Korol AB, Fahima T

P202

Cbf gene regulation in wheat in response to varying cold acclimation induction temperatures

Pozniak CJ, Campolli C, Fowler DB

P203

Characterisation of durum germplasm for aluminium resistance using nutrient solution culture

Raman H, Hare R, Graham K, Coombes N, Raman R

P204

*A high throughput method of EcoTILLING for detecting haplotype diversity within the aluminium resistance gene (*TaALMT1*) of wheat*

Raman H, Raman R, Stodart B, Lagudah E, Delhaize E, Ryan P

P205

Utility of derived synthetic wheat to enhance adaptive traits for grain yield in the north Australian region

Rathey AR, Chapman SC, McIntyre CL, Shorter R

P206

Genetic and physiological dissection of transpiration efficiency in wheat

Rebetzke GJ, Condon AG, Farquhar GD, McIntyre CL, Richards RA

P207

Structural changes of the photosynthetic apparatus, morphological and cultivation responses in different wheat genotypes under drought stress condition

Pireivatlou AS, Aliyev RT, Hajieva SI, Javadova SI, Akparov Z

P208

Mobilization of dry matter and its relations with drought stress in wheat genotypes

Pireivatlou AS, Yazdanebas A

P209

*Stem reserve and its contribution to grain yield of wheat (*Triticum aestivum* L.) genotypes under drought stress conditions*

Pireivatlou AS, Aliyev RT

P210

*Selection criteria for drought tolerance in spring wheat (*Triticum aestivum* L.)*

Chander SS, Singh TK

P211

The Dof transcription factor family in wheat
Shaw LM, McIntyre CL, Gresshoff PM, Xue GP

P212

Efficiency of stress-adaptive traits chlorophyll fluorescence and membrane thermo- stability in wheat under high temperature

Sheikh S, Behl RK, Dhanda SS

P213

Genetic analysis of leaf rolling in wheat
Sirault XRR, Condon AG, Rebetzke GJ, Farquhar GD

P214

TRITIMED, a multidisciplinary project to improve drought adaptation in durum wheat
Habash D, Araus JL, Latiri K, Kader AA, Tuberosa R, Nachit M

IWGS 2008 – List of Posters by Theme
Tuesday 26 August

P215

Two major QTLs on chr. 2BL and 3BS influence grain yield in durum wheat across a broad range of water regimes

Maccaferri M, Sanguineti MC, Araus Ortega JL, Ben Salem M, El-Ahmed A, del Moral LFG, Demontis A, Maalouf F, Nachit M, Nserallah N, Royo C, Tuberosa R

P216

Genotypic variation in the expression levels of antioxidative genes in Triticum aestivum and their association with carbon assimilation related traits in abiotic stress prone environments

Xue GP, McIntyre CL, Shorter R

P217

Isolation and characterization of a plasma membrane Na⁺/H⁺ antiporter gene TaSOS1 from wheat

Wang H, Zhang P, Liu D, Sun J, Wang D, Zhang A

P218

Systems mutations revealed in the national collection of Chernobyl mutants of common wheat

Burdenyuk-Tarasevych LA, Zlatska AV, Korol LV, Shytikova Yu V

P239

Detection of QTLs for heat tolerance in wheat measured by grain filling duration

Mohammadi V, Modarresi M, Byrne P

IWGS 2008 – List of Posters by Theme
Thursday 28 August

**COPING WITH WHEAT IN A
CHANGING ENVIRONMENT –
QUALITY**

P304

The content of the microelements in DHL of CS x SQ1 under the two water regiments in South-East of Kazakhstan

Abugaliyeva AI, Abugaliyeva SI, Quarrie SA, Turuspekov Y

P219

Investigation of Zinc uptake efficiency in six variety of Iranian bread wheat

Bakhsh kelarestaghi K, Novrihosseini M, Madani H, Khoshoui Z

P220

Molecular characterization of Cyclophilin B genes and promoter sequences in wheat and rice

Wu H, Bhave M

P221

Genetic analysis of grain protein deviation in wheat

Bogard M, Moreau D, Allard V, Martre P, Le Gouis J

P222

Flour yield and water absorption in wheat – a pedigree mapping approach

Christopher MJ, Butler D, Rodgers D, Mace ES, Martin D, McGowan P, Jordan D, Shatte T, Jennings R, DeLacy I, Banks PM, Poulsen D

P223

A comparison of methods for assessing polyphenol oxidase status of wheat

Jennings R, Christopher MJ, Banks PM

P224

The PDI (Protein Disulfide Isomerase) gene family in wheat

d'Aloisio E, Dhanapal A, Tanzarella OA, Ciaffi M, Porceddu E

P225

Association mapping of semolina yield in diverse durum wheat germplasm

Clarke FR, Clarke JM, Pozniak CJ, Somers DJ, Dexter JE, Knox RE, Reimer S, McCaig TN, Singh AK

P226

A molecular toolbox for xanthophyll genes in wheat

Crawford AC, Shaw K, Stefanova K, Lambe W, Ryan K, Wilson R, Barclay I, McLean R, Francki M

P227

The effects on grain quality traits of a grain serpin protein and the VPM 1 segment in southern Australian wheat breeding

Cane K, Sharp PJ, Eagles HA, Eastwood RF, Hollamby GJ, Kuchel H, Lu M, Martin PJ

P228

Revealing the genetic relationship of dough mechanical properties with loaf volume using QTL analysis of mixograph traits in wheat

Elangovan M, Rai R, Oak M, Dholakia BB, Lagu MD, Tiwari R, Gupta RK, Tamhankar S, Röder MS and Gupta VS

P308

*Composite interval mapping and stability analysis for bread making quality and yield traits in wheat (*Triticum aestivum* L.)*

Elangovan M, Rai R, Dholakia BB, Lagu MD, Tiwari R, Gupta RK, Rao VS, Rider MS, Gupta VS

P229

Cytokinins contents and dry matter accumulation at different position and types of grains within a spike of wheat

Eradatmand Asli D, Dua IS

P230

Relationship between yellow alkaline noodle quality and flour properties in Japanese hard wheat

Fujita M, Seki M, Matsunaka H, Kiribuchi-Otobe C, Hiwatashi A, Okumoto Y, Kitano J, Kanda Y, Miyamoto K

P231

IWGS 2008 – List of Posters by Theme
Thursday 28 August

Protein polymer accumulation during grain development and relations to quality: Influences of cultivar and environment
Johansson E, Prieto-Linde ML, Andersson A, Gissén C, Malik A, Kuktaite R

P232

*Characterisation of puroindoline genes in wild tetraploid and hexaploid wheats (*Triticum araraticum*, *T. timopheevii* and *T. zhukovskyi*)*
Simeone MC, Sestili F, Laino P, Lafiandra D

P233

Use of mutagenesis to induce novel allelic variation for genes involved in starch biosynthesis
Sestili F, Botticella E, Bedo Z, Bayon C, Phillips A, Lafiandra D

P234

The establishment of PCR-based specific markers for Starch Synthase II genes in wheat
Liu CL, Chen GS, Xu J, Peng G, Liu XY, You MS, Li BY, Liu GT

P235

Tissue specific promoters from rice and wheat for modifying grain characteristics
Lopato S, Li M, Smith J, Kovalchuk N, Pallotta M, Lapina A, Singh R, Bazanova N, Ismagul A, Eliby S, Milligan AS, Shirley N, Langridge P

P236

Determination of relationship between HMW glutenin subunits and bread making quality in bread wheat
Maleki M, Fatehi F, Salavati A, Behamta MR

P237

Varietal differences in protein polymer built-up of wheat at different temperature and nitrogen regimes during grain filling
Malik AH, Prieto-Linde ML, Kuktaite R, Andersson A, Johansson E

P238

Control of grain constituents involved in colour and colour stability in Asian noodles
Mares DJ, Asenstorfer RE, Cheong J

P240

Arabinoxylan content of hard winter and spring wheats of the US Pacific Northwest
Morris CF, Li S, Bettge AD, King GE, Garland-Campbell K, Gill KS

P241

Bread making quality attributes of Iranian trade cultivars of wheat and their HMW glutenin subunits composition
Najafian G, Bahraee S, Baghaee N, Morteza-gholi M, Babaee-Goli E

P242

Effect of Gpc-B1 gene in F2 population crossed between hard red spring wheat cultivar and Japanese soft wheat cultivars
Oda S, Fujita M, Hatta K, Kubo K, Kawada N

P243

In vitro and in vivo studies of wheat storage proteins on dough quality in a model system
Oszwald M, Tömösközi S, Jenes B, Tamás L, Békés F

P244

From cytogenetic to molecular approach and backwards: investigations of grain quality in bread wheat
Ermakova MF, Pshenichnikova TA, Chistyakova AK, Shchukina LV, Osipova SV, Röder M, Börner A

P245

Application of molecular markers, micro-level tests and interclass hybridizations in improving wheat grain quality
Ram S, Agrawal M, Tyagi BS, Mishra B

P246

*Characterisation of glutenin subunits in spelt wheat (*Triticum aestivum* ssp. *spelta* L)*
Raman H, Rehman A, Li L, Wujun M, Lockett D, Neeson R, Békés F

P247

*Mapping QTLs for quality characters in durum wheat (*Triticum turgidum* L. ssp. *durum*)*
Patil RM, Oak MD, Tamhankar SA, Rao VS

P248

IWGS 2008 – List of Posters by Theme
Thursday 28 August

Development of a codominant PCR-based marker for the wheat Wx-B1 null allele
Saito M, Vrinten P, Ishikawa G, Graybosch R, Nakamura T

P249

Production of sweet wheat
Shimbata T, Saito M, Takiya T, Vrinten P, Nakamura T

P250

Copying with wheat in Pakistan in the wake of green biotechnology, nanobiotechnology and food sovereignty
Siddiqui KA

P251

Development of durum wheat with varying percentage of B-starch granule content and relationship between starch swelling power and in-vitro starch digestion
Sissons MJ, Turner MA

P252

Wheat protein fractions in relation to grain quality characters of the cultivars registered in the Czech Republic 2004-2006
Stehno Z, Dvořáček V, Dotlacil L

P253

Comparison of the effects of puroindoline genotypes on grain and flour properties using near isogenic lines
Takata K, Ikeda T M, Yanaka M, Ishikawa N

P254

Improvement of dough strength for bread-making quality in Japanese common wheat
Tanaka H, Nakata N, Tsujimoto H

P255

Breeding and introduction of waxy wheat Nuomai no.12
Wang T, Xu ZB, Shu SG, Ren Y

P256

Proteins identification of wheat-rye translocation lines by MALDI-TOF-TOF mass spectrometry and ESI-QTOF/MS
Kim AR, Nam JH, Joo EJ, Seo HS, Kim KH, Park CS, Heo HY, Seo YW, Choi JS, Woo SH

P257

Chromosome location and characterization of genes for grain protein content in Triticum dicoccoides
Xu SS, Klindworth DL, Hareland GA, Elias LM, Faris JD, Chao S

P258

Addition of chromosome 5H of Hordeum species to wheat enhances grain softness
Yanaka M, Takata K, Ikeda TM

P259

Establishment of multiplex PCR system for high molecular weight glutenin subunits in wheat
Chen J, Zhuo G, Zhang A, Sun J, Yang W, Liu D, Guo X

P260

Utilization of near isogenic lines of gliadin loci of common wheat for comparison of three existing A-PAGE methods of gliadin analysis
Zlatska AV, Golopapa YuV, Bogdan YuM, Korol LV

P261

Tendencies in baking quality of common wheat varieties realised in Ukraine and their influence on allele frequency of storage protein genes
Zlatska AV, Shovhun OO, Golopapa YuV, Bogdan YuM

**COPING WITH WHEAT IN A
CHANGING ENVIRONMENT –
VARYING DEVELOPMENT**

P262

The glutaredoxin gene family in wheat functions beyond redox homeostasis regulation
Ziemann M, Zachgo S, Bhave M

IWGS 2008 – List of Posters by Theme
Thursday 28 August

P306

Unravelling the effects of GA-responsive dwarfing gene Rht13 on yield and grain size
Drouyer G J-P, Bonnett DG, Ellis MH, Sirault XRR

P263

A molecular marker closely lined to the male sterile Ms2 gene in common wheat (Triticum aestivum)
Cao W, Somers DJ, Fedak G

P264

MIKC type genes of the MADS-box family in wheat: molecular and phylogenetic analysis
Paolacci AR, Tanzarella OA, Porceddu E, Ciaffi M

P265

Genetic mapping of Vrn-D4 gene in hexaploid wheat
Yoshida T, Nishida H, Distelfeld A, Dubcovsky J, Kato K

P266

Physical map of the Eps-Am1 gene region in Triticum monococcum L.
Faricelli M, Valarik M, Lewis S, Appendino L, Dubcovsky J

P267

Genetic analysis of quantitative traits in wheat (Triticum aestivum)
Fatehi F, Behamta MR, Zali AA

P268

Assaying natural genetic variation in the cereal Vrn1 gene
Hemming MH, Fieg S, Dennis ES, Peacock WJ, Trevaskis B

P269

Isolation of a somatic embryogenesis receptor kinase gene from wheat and assessment of its role in transformation
Yakandawala N, Jordan MC

P270

Genetic and molecular genetic characterization of the Japanese early heading cultivar of wheat
Tanio M, Nishida H, Kato K

P271

The floral integrator WFT in wheat: expression profiles of three homoeologous genes
Kikuchi R, Kawahigashi H, Handa H

P272

Coordinated regulation of enzymes involved in secondary cell wall biosynthesis by a homeodomain transcription factor
Kovalchuk N, Singh R, Lapina A, Bazanova N, Taylor J, Shirley N, Burton R, Fincher G, Langridge P, Lopato S

P273

Gene expression profiles of hybrid necrosis in synthetic hexaploid wheat
Mizuno K, Takumi S

P274

A new flowering time gene on wheat chromosome 3B; characterization and genetic mapping
Pánková K, Milec Z, Simmonds J, Leverington-Waite M, Fish L, Snape JW

P275

Macroarray for studying chloroplast gene expression profiles associated with the initial development of wheat
Siniauskaya M, Naydenov N, Davydenko O, Nakamura C

P276

Creation of a multiple-use recombinant inbred line population for the development of molecular markers in soft white winter wheat
Zemetra RS, Hansen JL, Koehler T, Chen J, Riera-Lizarazu O, Leonard J, Quincke M, Peterson CJ, Mundt CC, Campbell KG, Chen X

BREEDING FOR A CHANGING WORLD

P308

ICARDA experience: development of drought tolerant and high water productivity wheat varieties for CWANA Region

IWGS 2008 – List of Posters by Theme
Thursday 28 August

Abdalla O, Yaljarouka A, Yahyaoui A,
Rajaram S

P303

Grain quality and end use of Kazakh wheat varieties

Abugalieva AI, Watts T, Morgunov AI, Butz AA

P277

Construction of SSR linkage map and QTL mapping for spike characters in common wheat RIL population

Manickavelu A, Kawaura K, Imamura H, Mori M, Ogihara Y

P278

Stomatal characteristics, heritability and their relationship to grain yield in a double haploid bread wheat population

Arminian A, Houshmand S, Knox RE

P279

Applications and challenges of marker-assisted selection in the Western Australian Wheat Breeding Program

Cakir M, Drake-Brockman F, Ma J, Jose K, Connor M, Joe Naughton J, Bussanich J, Naisbitt M, Shankar M, McLean R, Barclay I, Wilson R, Moore, Loughman R

P280

Designing crossing and selection strategies to combine diagnostic markers and quantitative traits

Chapman SC, Wang J, Rebetzke GJ, Bonnett DG

P281

Dynamics of wheat x Imperata Cylindrica - a new chromosome elimination mediated system for efficient haploid induction in wheat

Chaudhary HK

P282

The International Crop Information System manages geneological, phenotypic and genotypic data in a wheat breeding program

Clarke FR, Yates SM, Clarke JM, Knox RM, DePauw RM, McLaren CG

P283

Breeding desired quality wheat by reverse genetics

Dong C, Vincent K, Dalton-Morgan J, Sharp P

P284

Effect of the Gpc-B1 region from Triticum turgidum ssp. dicoccoides on grain yield and thousand grain weight

Brevis J, Dubcovsky J

P285

Larger root system increases water – nitrogen uptake and grain yield in bread wheat

Ehdaie B, Waines JG

P286

Genetics of resistance to sunn pest (Eurygaster integriceps Put) in bread wheat

Fatehi F, Behamta MR, Zali AA

P287

Development of a new source of resistance to Fusarium head blight and Stagonospora nodorum blotch in spring wheat

Cao W, Fedak G, Armstrong K, Hughes G, Xue A, Savard ME, Voldeng H

P288

Comparison of selecting spring wheat in conventional and organic environments

Fox SL, Kirk AP, Entz MH

P289

Wheat glume colour controlled by Rg1 locus is useful as a phenotypic marker to select Glu-B3 alleles encoding LMW glutenin subunits

Fujii K, Tsuji T, Yoshida T, Maruyama-Funatsuki W, Ikeda TM

P290

QTL analysis and marker assisted selection for improvement in grain protein content and pre-harvest sprouting tolerance in bread wheat

Gupta PK, Balyan HS, Kumar S, Kulwal PK, Kumar N, Mir RR, Kumar A, Mohan A, Prabhu KV

P291

Correlation and regression studies in semi-dwarf spring wheat (Triticum aestivum L)

Jamali R, Jamali KD

IWGS 2008 – List of Posters by Theme
Thursday 28 August

P292

Breeding for a changing world and genetic modification of photosynthesis in wheat
Kershanskaya O

P293

Interrelationships of important agronomic traits and kernel yield in winter wheat
Guberac V, Marić S, Drezner G, Petrović S, Dvojković K, Brandić V

P294

Effects of testing environments and crop density on winter wheat yield
Marić S, Guberac V, Drezner G, Petrović S, Čupić T, Brandić V

P295

Storage, analysis and communication of information from diverse wheat field trials
Micallef S, DeLacy I, Dieters M

P296

Single-locus and two-locus QTL analysis to detect main effect and epistatic QTL for grain weight in bread wheat
Mir RR, Kumar N, Prasad M, Girdharwal N, Kumar J, Balyan HS, Gupta PK

P297

Synthesis of a hexaploid club wheat and analysis about the homoeo-alleles of club gene C
Ohtsuka T, Ohtsuka I

P298

*Genetic dissection of agronomically important traits in bread wheat (*Triticum aestivum* L.) using a chromosome 3A specific RICL population*
Rustgi S, Shafqat MN, Ali ML, Dweikat I, Baenziger PS, Gill KS

INTEGRATION FROM MOLECULES TO FUNCTION

P299

A transgenic cereal crop with enhanced folate: rice expressing wheat HPPK/DHPS
Gillies SA, McIntosh SR, Henry RJ

P300

Transposon-mediated gene search: finding a needle in a haystack
Singh J, Lam A, Blossie P, Bregitzer P, Lemaux P

P301

*Towards the understanding of genetic and molecular basis of heterosis in wheat (*Triticum aestivum* L.)*
Sun Q, Ni Z, Peng H, Yao Y, Du J

P302

*Water soluble carbohydrate accumulation in *Triticum aestivum**
Xue GP, McIntyre CL, Tabe L, Jenkins CLD, Shorter R